


SOP-6*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 3.89 x 7.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-6	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-8***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 5.11 x 7.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-8	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-10***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 6.38 x 7.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-10	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-12***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 7.65 x 7.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-12	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1




SOP-14*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 8.92 x 7.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-14	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-16***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 10.19 x 9.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-16	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-18***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 11.46 x 9.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-18	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-20***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 12.74 x 9.6 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-20	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1




SOP-22*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 14.01 x 11.4 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-22	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-24***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 15.28 x 11.4 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-24	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-28***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 17.82 x 13.4 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-28	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1


**SOP-30***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)

Size: 19.09 x 13.4 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-30	SMT	Rect	0.7 x 2.2 mm	---


Scale 2:1



SOP-32*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)*Size:* 20.36 x 15.2 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-32	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1

**SOP-36***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)*Size:* 22.9 x 15.2 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-36	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1

**SOP-40***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)*Size:* 25.44 x 17.2 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-40	SMT	Rect	0.7 x 2.2 mm	---

Scale 2:1

**SOP-42***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.3 (PAGE 3 OF 4)*Size:* 26.71 x 17.2 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-42	SMT	Rect	0.7 x 2.2 mm	---


Scale 2:1



SOP-6X14*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 15 x 5.4 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-16	SMT	Rect	1.6 x 0.5 mm	---

Scale 2:1

**SOP-6X16***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 17 x 6.5 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-24	SMT	Rect	1.6 x 0.4 mm	---

Scale 2:1

**SOP-6X18***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 19 x 6.1 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-28	SMT	Rect	1.6 x 0.3 mm	---

Scale 2:1

**SOP-6X20***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 21 x 5.9 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-36	SMT	Rect	1.6 x 0.2 mm	---

Scale 2:1



SOP-8X14*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 15 x 8.22 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-24	SMT	Rect	1.6 x 0.5 mm	---

Scale 2:1

**SOP-8X16***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 17 x 8.5 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-32	SMT	Rect	1.6 x 0.4 mm	---

Scale 2:1

**SOP-8X18***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 19 x 8.55 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-40	SMT	Rect	1.6 x 0.3 mm	---

Scale 2:1


**SOP-8X20***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 21 x 8.35 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-52	SMT	Rect	1.6 x 0.2 mm	---


Scale 2:1



SOP-10X14*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 15 x 9.52 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-28	SMT	Rect	1.6 x 0.5 mm	---

Scale 2:1

**SOP-10X16***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 17 x 10.5 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-40	SMT	Rect	1.6 x 0.4 mm	---

Scale 2:1

**SOP-10X18***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 19 x 10.15 mm


PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-48	SMT	Rect	1.6 x 0.3 mm	---

Scale 2:1

**SOP-10X20***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN
STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)*Size:* 21 x 9.85 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-64	SMT	Rect	1.6 x 0.2 mm	---

Scale 2:1




SOP-12X14*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 15 x 12.12 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-36	SMT	Rect	1.6 x 0.5 mm	---

Scale 2:1


**SOP-12X16***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 17 x 12.55 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-48	SMT	Rect	1.6 x 0.4 mm	---

Scale 2:1

**SOP-12X18***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 19 x 12.55 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-60	SMT	Rect	1.6 x 0.3 mm	---

Scale 2:1

**SOP-12X20***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.4 (PAGE 3 OF 4)

Size: 21 x 11.95 mm

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-76	SMT	Rect	1.6 x 0.2 mm	---

Scale 2:1

